

Product Model :


SG 300 A Walk Through Metal Detector



■ FEATURES

- * Stable performance, 6-12-18 zone options
- * Two LED lights bar show threat locations on the human body
- * Extremely high sensitivity to find even tiny threats
- * Ip55 weather proof design
- * Sound and light alarm
- * Operation way : remote control

■ Dimensional Drawing



■ Important Size

Outer Frame Size: 2200* 830 * 600mm (L × W × H)

Inner Frame Size: 1980* 700*600mm(L x W x H)

■ Product Details

■ General Specifications

Outer Frame	2200mm(H) x830mm(W)x600mm(D)
Inner Frame	1980mm(H)x700mm(W)x600mm(D)
Electrical Current	100 V- 240 V/A
Power	10W
Unit Weight	70KG
Signal Frequency	7000-8999Hz(adjustable)
Work Environment	-20C to +45C
Sensitivity Adjustable	Level 0-299
Alarm	Sound and light
Max Distance	0.3m at low sensitivity;0.5m at high sensitivity

■ Configuration

Remote control transmitter	Metal-detect-door-mainbd,rev120+remote control receiver
Master control Board	White
Light Bar	Long bar,Metal-detect-door -Ledbd,V040 Short bar, Metal-detect-doo-Ledbd,V010
Digital Display Board	Minni-a door oanel board, REV040
Speaker	Loudspeaker,8Ω2W,Black,75mmx32mmx27mm

■ Software

Operation Way Seansibilty	Metal-detect-door-mainbd,rev120+remote control receiver
Infrared Counting	White
Alarm Settings	Long bar,Metal-detect-door -Ledbd,V040 Short bar, Metal-detect-doo-Ledbd,V010
Detecting Areas	Minni-a door oanel board, REV040

■ Operating Environment

Operation Temperature/Humidity	Metal-detect-door-mainbd,rev120+remote control receiver
Storage Temperature/Humidity	White
Operation Power	Long bar,Metal-detect-door -Ledbd,V040 Short bar, Metal-detect-doo-Ledbd,V010